



Soils Map



State: **Nebraska**
 County: **Boyd**
 Location: **24-33N-9W**
 Township: **Bush**
 Acres: **328.88**
 Date: **4/20/2020**
















Soils data provided by USDA and NRCS.

©2019 AgriData, Inc.

Area Symbol: NE015, Soil Area Version: 21
 Area Symbol: NE107, Soil Area Version: 17

Code	Soil Description	Acres	Percent of field	SRPG Legend	Non-Irr Class °c	Irr Class °c	SRPG	Alfalfa hay	Alfalfa hay irrigated	Cool season grasses	Corn	Corn Irrigated	Grain sorghum	Grain sorghum Irrigated	Oats	Oats Irrigated	Smooth brome grass	Soybeans	Soybeans Irrigated
3225	Labu-Sansarc silty clays, 9 to 35 percent slopes	43.77	13.3%		Vle		9												
4493	Dunday loamy fine sand, 6 to 11 percent slopes	37.48	11.4%		Vle	IVe	28	1	2		20	84	20	70	22				
6300	Aowa silt loam, occasionally flooded	30.46	9.3%		IIw	IIw	56	4	6		78	131			52		5	35	42
3221	Labu silty clay, 6 to 11 percent slopes	29.89	9.1%		IVe	IVe	22	1			24		38		28				
3221	Labu silty clay, 6 to 11 percent slopes	25.11	7.6%		IVe	IVe	22	2	5		37	109			40		2	16	25
3327	Verdel silty clay, 0 to 2 percent slopes	24.16	7.3%		IIIs	IIIs	47	2	5		45	121	55	110	50				

Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	SRPG Legend	Non-Irr Class *c	Irr Class *c	SRPG	Alfalfa hay	Alfalfa hay irrigated	Cool season grasses	Corn	Corn Irrigated	Grain sorghum	Grain sorghum irrigated	Oats	Oats Irrigated	Smooth brome grass	Soybeans	Soybeans Irrigated
9004	Anselmo fine sandy loam, 3 to 6 percent slopes	18.96	5.8%		IIIe	IIIe	50												
2327	Inavale fine sandy loam, 0 to 3 percent slopes, rarely flooded	16.48	5.0%		IIIw	IIIw	39	2		2									
3328	Verdel silty clay, 2 to 6 percent slopes	14.01	4.3%		IIIe	IIIe	46	3	5		45	119			45		3	26	37
3225	Labu-Sansarc silty clays, 9 to 35 percent slopes	12.67	3.9%		VIe														
8840	Hall silt loam, 0 to 1 percent slopes	12.47	3.8%		IIC	I	71	2	6		59	150	69	119	65	79			
2328	Inavale fine sandy loam, occasionally flooded	12.13	3.7%		IIIe	IIIe	37	2	5		35	121	40	110	39				
6510	Blendon fine sandy loam, 2 to 6 percent slopes	11.10	3.4%		IIIe	IIIe	47	2	5		45	146	50	109	46				
3327	Verdel silty clay, 0 to 2 percent slopes	9.71	3.0%		IIS	IIS	48	3	6		53	131			51		3	32	41
3305	Reliance silt loam, 2 to 6 percent slopes	6.63	2.0%		IIIe	IIIe	60												
3329	Verdel silty clay, 6 to 11 percent slopes	5.14	1.6%		IVe	IVe	41	2	5		40	110			35		2	18	30
6301	Aowa silt loam, channeled, frequently flooded	4.59	1.4%		VIw		44				3	2						2	
6727	Thurman fine sandy loam, 2 to 11 percent slopes	4.34	1.3%		IVe	IVe	35	2	5		35	130			38		2	20	35
1039	Grigston silt loam, occasionally flooded	3.20	1.0%		IIw	IIw	56	2	6		64	150	74	119	71				

Maps Provided By:



© AgriData, Inc. 2019 www.AgrIDataInc.com

Code	Soil Description	Acres	Percent of field	SRPG Legend	Non-Irr Class °c	Irr Class °c	SRPG	Alfalfa hay	Alfalfa hay irrigated	Cool season grasses	Corn	Corn Irrigated	Grain sorghum	Grain sorghum Irrigated	Oats	Oats Irrigated	Smooth brome grass	Soybeans	Soybeans Irrigated
6300	Aowa silt loam, occasionally flooded	2.54	0.8%		Ilw	Ilw	56	4	6		78	131			52		5	35	42
8931	Simeon sand, 6 to 30 percent slopes, eroded	1.26	0.4%		Vls		18												
4488	Dunday loamy fine sand, 3 to 6 percent slopes	1.08	0.3%		Ive	Ive	30	1	4		24	126	25	95	28				
9999	Water	0.92	0.3%				0												
9999	Water	0.78	0.2%				0												
Weighted Average							34.6	1.5	2.8	0.1	28.8	69.3	16.4	29.8	27.7	3	0.9	7.4	9.8

*c: Using Capabilities Class Dominant Condition Aggregation Method